





U TYPE NUTS (Multi-Thread)


TYPICAL ASSEMBLY



STANDARD



DESIGN VARIATIONS



DIMENSIONS IN MILLIMETERS

SCREW SIZE	p PANEL RANGE	DESIGN VALIATION	A LENGTH	B WIDTH	C CENTER DIM.	X INSIDE DIA.	T MATERIAL THICKNESS	PART NUMBER
M4*	2.0 ~2.5	BD	17.0	11.0	8.0	2.8	1.0	S40176
M5*	1.5~2.0	CD	16.0	11.0	7.0	2.5	1.0	S41962
M6*	0.6~1.6	C	24.0	13.7	14.0	3.0	1.0	S41865
M6*	0.8~1.6	C	24.0	13.7	14.0	3.0	1.0	S40707
M6*	0.8~4.0	EF	23.5	14.5	13.5	5.0	1.0	S10400**
M6*	0.8~4.0	G	21.8	15.2	12.0	4.4	0.9	S10401**
M6*	1.6~2.0	STD	24.0	13.7	14.0	3.0	0.8	S40591
M6*	2.0~2.5	STD	17.0	16.0	9.0	2.8	1.0	S41564
M6*	2.0~3.0	A	17.0	14.0	8.0	3.3	1.0	S42025SUS
M6*	2.5~3.0	A	17.0	14.0	8.0	3.3	1.0	S42095
M6*	2.5~3.0	STD	24.0	13.7	14.0	3.0	1.0	S40903
M6*	3.0~3.5	STD	17.0	14.0	8.0	3.3	1.0	S42085SUS
M6*	3.0~4.0	STD	24.0	13.7	14.0	3.0	1.0	S40369
M8*	0.8~2.0	A	29.0	15.0	17.0	3.0	1.0	A40141
M8*	3.0~3.5	A	20.0	16.0	10.0	3.5	1.0	S41206

* INDICATES JIS MACHINE SCREW