









NUT RETAINERS (Metric)

TYPICAL ASSEMBLY



WHEN COMPUTING PANEL THICKNESS, TAKE PAINT AND BURRS INTO CONSIDERATION



DIMENSIONS IN MILLIMETERS

SCREW SIZE	P PANEL RANGE	MOUNTING HOLE	D	K	A	C	E	F	G	J	T	PART NUMBER
M5*	1.6-2.7	A OR B	3.6	4.7	13.2	9.7	1.5	7.4	13.7	6.4	0.51	NR5-S2
M6*	0.6-1.6	A OR B	2	4.7	13.2	8.6	1.5	7.4	13.7	6.4	0.51	NR6-S1
M6*	1.6-2.7	A OR B	3.1	4.7	13.2	9.6	1.5	7.4	13.7	6.4	0.51	NR6-S2
M6*	2.4-3.2	A OR B	3.6	4.7	13.2	10.2	1.5	7.4	13.7	6.4	0.51	NR6-S3
M6*	3.2-4.0	A OR B	4.3	4.7	13.2	11.0	1.5	7.4	13.7	6.4	0.51	NR6-S4
M6*	0.7-1.4	C OR D	1.8	5.5	16.8	9.6	2.5	9.7	17.8	7.6	0.64	NR6-L1
M6*	1.5-2.4	C OR D	2.8	5.5	16.8	10.7	2.5	9.7	17.8	7.6	0.64	NR6-L2
M6*	2.4-3.2	C OR D	3.8	5.5	16.8	11.7	2.5	9.7	17.8	7.6	0.64	NR6-L3
M6*	3.2-4.1	C OR D	4.6	5.5	16.8	12.5	2.5	9.7	17.8	7.6	0.64	NR6-L4
M8*	0.7-1.4	C OR D	1.8	5.5	16.8	9.6	2.5	9.7	17.8	7.6	0.64	NR8-L1
M8*	1.5-2.4	C OR D	2.8	5.5	16.8	10.7	2.5	9.7	17.8	7.6	0.64	NR8-L2
M8*	2.4-3.2	C OR D	3.8	5.5	16.8	11.7	2.5	9.7	17.8	7.6	0.64	NR8-L3
M8*	3.2-4.1	C OR D	4.6	5.5	16.8	12.5	2.5	9.7	17.8	7.6	0.64	NR8-L4

* INDICATES JIS MACHINE SCREW